




Mactronic

since 1989



Spirex
Safety technologies

www.spirex.es

**ILUMINACIÓN INDUSTRIAL
PARA AUTOMOCIÓN**

BEEMER LTG

20m 280 LUMENOW

PWL0012

Flashlight with hook and magnet



Micro USB rechargeable

IPX6
Standard

Magnetic
Mount

An amazingly handy workshop flashlight that gives uniformly disperse light thanks to its COB 6500K and three Samsung 2835 SMD 6500K LEDs.

The truly universal lamp can be placed fully upright or at an angle, hanged on the hook or the magnet.

The lamp is charged via USB.

The kit contains:
- a micro USB cable
- 230 V USB charger,

Main light	Directional light
☉ COB white LED	☉ 3 × SMD
☀ 280 lm	☀ 60 lm
30% 8 h 30 min	100% 12 h
100% 2 h 30 min	
🔋 167 g	
🔌 Li-ion 3,7V, 2200 mAh	

BEEMER BASE

470 LUMENOW

PWL0013

Workshop flashlight with docking station and 470 lm LED strip



IPX6
Standard

A large workshop lamp with a docking station, a magnet holder and a rotating hook.

The 18650 (3.7 V / 4400 mAh) batteries need 6 hours to fully charge.

The kit contains:
- a charging dock
- 230 V charger

☉	COB LED 6500 K	100%	4 h	30%	11 h
📏	mm 282 × 54 × 47	🔋	380 g		
🔌	Li-ion battery 3.7V 4400mAh (2 × 3.7V 18650 2200mAh)				



Mactronic
since 1989

ul. Stargardzka 4, 54-156 Wrocław, Polska
T: +48 71 351 86 53 F: + 48 71 358 44 42 biuro@mactronic.pl
www.mactronic.pl

Mactronic
PROFESSIONAL LINE

Portable workshop lights

BEEMER 4

PWL0021

A multi-purpose workshop kit



A multi-purpose lighting kit, perfect for use in a workshop. The kit contains: a flashlight base, a head with focus, a 360d angled head UV + white, an inspection head, a battery, a 230V charger + a USB cable, a suitcase.

mm 280 × 220 × 80

1000 g

BEEMER 4.1

PWL0021.1

Flashlight base with charger



Micro USB rechargeable

IP54
Standard

Magnetic
Mount

AL
Alu Housing

mm 188 × 33

170 g

6 h

Li-ion 3,7V 2200 mAh

BEEMER 4.2

PWL0021.2

Flashlight head with focus



IP54
Standard

AL
Alu Housing

Focus

Cree™ XP-G LED

30% 6 h

100% 2 h

mm 34 × 60

68 g

120m

250
LUMENOW

BEEMER 4.3

PWL0021.3

Flashlight head with UV function



26m

350
LUMENOW

IP54
Standard

The angled head with UV function for diagnosing car AC systems with a contrast agent. COB UV 390-400 nm ensures a strong flux for detecting any possible leaks.

COB White LED	50% 4 h	100% 2 h
COB UV, 390-400Nm	100% 4 h	
mm 35 × 230	87 g	

BEEMER 4.4

PWL0021.4

Inspection flashlight head with focus



100m

180
LUMENOW

IP54
Standard

Focus

The inspection head with the focus function is made from high-grade aluminum and has a 40 cm long flexible element topped with a 180 lm LED. Indispensable for professionals performing inspection, quality control and service works. The light tip diameter is 35 mm.

Cree™ XP-G LED	30% 8 h	100% 2 h 30 min
mm 19 × 433	103 g	

BEEMER CLQ

100m

1200
LUMENOW

PWL0031

Engine chamber lamp



IPX6
Standard

A professional, portable lamp for engine chambers. The 1200 lm strong lamp is capable of accurately illuminating the working space under the hood. The lens is made from shock-proof polycarbon and protects the lamp from accidental mechanical damage. The lamp comes with a swiveling clamp fastened to the hood, extendable from 1360 mm to 2060 mm. The clamp's silicone tips protect the car body from scratches. The lamp's housing is IPX6 proof. Additionally, the lamp comes with a 250 ml flashlight. The kit also contains a 12V 2.5 A charger.

Main light	Flashlight
COB White LED	COB White LED
1200 lm	250 lm
100% 3 h	100% 1 h 35 min
30% 6 h 30 min	30% 6 h
Li-ion 7,4V 5200 mAh	Li-ion 7,4V 750 mAh
2000 g	
mm 130-206 × 77 × 135	



www.spirex.es

SPIREX S.L.

C/Serret, 34 / 08205 Sabadell (Barcelona)

Tel: +34 93 715 04 05 / info@spirex.es / www.spirex.es